



1

1.1

1.1.1

“ ”

Email				
1				
2		100V-240V		
3				

1.1.2

1.1.3

1.1.4

1.1.5

1.1.6

2.1

2.1.1

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.
- 9.

2.1.2


- 1.
- 2.1.

2.2



	consol e	consol e
	SecureCRT	
	TFTP	
	Sni ffer	
	Ul traEdi t	
	RGOS	

3.1

3.1.1



3.1.2



3.

4.

5.


6.

7.

8.

9.

4.



5.

6.

7.

8.

9.

10.

1.

2.




3.

4.


3.1.4

3.1.5




cir 1000



cir






 [进入配置页面](#)




















3.1.6

- 1.
- 2.
- 3.







锐捷网络 NPE WEB 管理界面

当前会话数分析: 3000

IP地址	当前会话总数
192.168.80.221	1835

系统帮助 | 返回NPE引导页

首页 1 2 3 4 5 尾页 1/343页 共3429条

锐捷网络 NPE WEB 管理界面

当前会话数分析: 3000

系统帮助 | 返回NPE引导页

首页 1 2 3 4 5 尾页 1/343页 共3429条



4

4.1

4.1.1 snmp

4.1.2 ospf

4.1.3

5

5.1

-

()