

V1.04

copyright © 2018



”

<http://www.ruijie.com.cn/>

”

<http://webchat.ruijie.com.cn>

”

<http://www.ruijie.com.cn/service.aspx>

”

7× 24

4008-111-000

”

<http://bbs.ruijie.com.cn/portal.php>

”



| 1 | 7.5W | 11W |
|--------|---|-----|
| | GB4943 EN60950-1 IEC60950-1 | |
| EMC | GB9254 GB17618 EN301 489-1 EN301 489-17 EN55022 EN55024 | |
| Health | EN 62311 | |
| | EN300 328 EN301 893 | |



AM

WAN

AM

1.3RG-MAP752(G)

RG-MAP752(G)

AP

Led

2

2.1

RG-MAP752(G)

RG-MAP752(G)

a

2.2

”

AP

”

”

500m

”

”

2.3

”

-10 45

”

-40 70

”

5% 95%

2.4

RG-MAP752(G)

2-1

2-1

| m | 0.5 | 1 | 3 | 5 |
|-------|-------------------|-----------------|-------------------|-------------------|
| (/) | 1.4×10^7 | 7×10^5 | 2.4×10^5 | 1.3×10^5 |

ⓂFò €K• ÿG£b1ð b t°K”Â@... l <'G !Â ðÁD Ð @

2-2

| | mg/m ³ | mg/m ³ |
|------------------|-------------------|-------------------|
| SO ₂ | 0.2 | 1.5 |
| H ₂ S | 0.006 | 0.03 |
| 2 | 0.04 | 0.15 |
| 3 | 0.05 | 0.15 |
| 2 | 0.01 | 0.3 |

2.5EMI

z

z

z

z

2.6

2-3

| | |
|--|--|
| | |
| | |
| | |

a hpi

RG-MAP752(G) hpi

3

a ~~AP~~

a AP

3.1

3.2

AP

”


”

”


”
”
”
”
”
”
”
”
”

3.3


86



5.2 —



VAN



RG-MAP752(G)

86



MAP752(G)



4

4.1

AM RG-MAP752(G)

4.2

4.2.1

AM RG-MAP752(G)

4.2.2

„ AP

5

5.1

AP

„ 2.5Hz AP

„ AP AP

„ 0.25Hz 2s 2s AP AP

„ 4 3.8s 0.2s AP AP

5.2

RG-MAP752(G) AP AC

5.3

RG-MAP752(G)

1)

a ~~o~~gs:

a ~~D~~/Eæ

a ~~u~~(S)æ

2

WAN

LAN



2 LED

AP AP

3 AP

AP

AP

RG-MAP752(G)H

A —

1000BASE-T/100BASE-TX/10BASE-T

1000BASE-T/100BASE-TX/10BASE-T

MDI/MDIX Crossover

1000BASE-T IEEE 802.3ab
STP 100
4 1000BASE-T

100-ohm 5
1000BASE-T 4
A-1 100BAS-Tb

UTP

B — RG-MAP752(G)

1. RG-MAP752(G) 1
2. 1
3. M4*40 2