



Wendell



1

1.1




1x SP3r2 (LGA)




1.3

1.3.1

1. USB 2. Power Button 3. ID Button 4. Unlock Clips



	USB 3.0	USB
1	USB3.0 U	USB 2.0
2		
3	ID	
4		



/	⏻	
ID		ID / ID LED LED
NIC1/2	📶	ID Reset BMC
	⚠️	

1.3.2



1		
2	VGA	
3	ID	
4	USB	

F1																	
G0																	
G1																	
H0																	
H1																	

- 0 1
-

1.6

RG-CSXX20ES V2.XX

1+1

5522.09 530.54 7C72605ID 183/LOB77 9.12 6391 119.57 530W0.47 518.78 5522.09 530.5

2

2.1



2.1.1



- 1 19
- 2
- 3
- 4
- 5

2.1.2



2.1.3



2.1.4



2.2

2.2.1

2.2.2

0.8


0.4

2.2.5

(1) 4 19

(2) 19 465mm


19



3
155mm

180mm
10

25mm



将外轨+托

3.3

-
-
-

RJ45

3.4

- -
 -
 -
 -
 -
-

4

4.1

-
-
-
-

DC

400

4.2

-
-
-

, TUI , ping

bios ,

Delete bios



400

4.3

-
-

BMC ECC
web 400

4.4

-
-
-
-

Halo BMC Web CPU 400