RG-IIB-N86A

copyright © 2017



( )

	OPS		

( )

	(Model)	(Parameter)
(Display)	LCD (Size)	86"
	LCD	A
	(Backlight type)	LED
	(Resolution)	3840*2160 (pixels)
	(Brightness) (typ)/(min)	350cd/m^2 (min.)
	(Brightness) (typ)/(min)	400cd/m^2 (typ.)
	(Contrast Ratio) (typ)/(min)	1200:1 (typ.)
	(Response Time) (typ)/(min)	8ms (typ.)
	(Pixel Pitch)	0.4935mmx0.4935mm
	(Refreshing frequency)	60Hz
	(Viewing angle)	178°(H)/178°(V)
	(Life Time) (typ)/(min)	30,000 hrs (min.)
	(Color Gamut)(X% NTSC)	65%
	(View area)	1897mmx1068mm
	(Display Colors)	1.07B(10bit)
		16:9
		10000K
		2G
		16G/EMMC
		9.0
		Intel I5-8400
		8G
		256 SSD
		WINDOW 10

	10% ~ 90% RH Non-Condensing
	0 5000
MTBF	3
	45db

( )

1

2

3

4

5



( )


1
2
3
安装工具
1.卷尺
7.铅笔

( )

5 -			
1 -			
3 -			
2 -			
4 -			



( )



86	4024mm*1224mm*90mm	2000mm*1224mm*90mm 1012mm*1224mm*90mm	60KG 35KG



5 M8*150 1 M8*80
3 M6 +M4*30

5

ok

3
1
1
4
2
3
4
2

( )

( )

( )

v

Trouble shooting

1

1

2



3

Windows 10 - -