

# 5.3R1X5



- V5.1\_R1X5
- V5.1\_R1X5



V5.3\_R1X5





1.

2.

3.

4.

5.3R1X3

5.3R1X5




1.

2.

3.

4.






1.

2.

3.

4.





USB

USB

5.3R1X3

5.3R1X5




2

UOS/Kylin


D

windows

5.3R1X3



5.3R1X5









UOS\Kylin



exe msi

Windows

exe msi








X3

IDV VDI


IDV VDI

IDV VDI

5.3R1X3



5.3R1X5



X3

3

XX

VDI

D

0

D

D




Windows

IDV

CPU




windows



# Mini

1 Mini  
Mini  
2 Mini 500

Mini



-> ->

A

IDV

A IDV  
B RCDC  
B RCDC  
B IDV

RCCP

B  
1

A IP



✓

✓

✓ HTTP

✓

URL

U

[ ]

web

5.3R1X3



5.3R1X5





0


IDV


CPU



10

30





D

D

D

云办公管理平台

策略管理 / 云桌面策略

确认 取消

创建云桌面策略

策略管理

云桌面策略

应用主机系统盘 (GB): 40

应用主机CPU占比: 50%

应用主机内存占比: 25%

应用主机本地盘占比: 0%


外设策略: 0%

# UOS\Kylin

UOS\Kylin


UOS\Kylin

5.3R1X3




```
administrator@PC-28b0e3: ~/Desktop  
administrator@PC-28b0e3: ~/Desktop$ pwd  
/home/administrator/Desktop  
administrator@PC-28b0e3: ~/Desktop$
```


5.3R1X5



```
jhh@PC-318049: /media/administrator/...  
jhh@PC-318049: /media/administrator/...$ pwd  
/media/administrator/...  
jhh@PC-318049: /media/administrator/...$
```








desktop.ini

RECYLE.BIN

desktop.ini RECYLE.BIN



desktop.ini RECYLE.BIN Windows

UOS\Kylin

F5

# THANKS

29

100036

Office Tel: 010-51715999

Fax: 010-51413399

4008-111-000

[www.ruijie.com.cn](http://www.ruijie.com.cn)



A 11

