

RG-AP700-A

Contents


RG-AP700-A

- RG-AP700-A
- RG-AP700-A
- RG-AP700-A
- RG-AP700-A
- RG-AP700-A

RG-AP700-A

- LAN DHCP
- LAN / / VLAN
- AC

RG-AP700-A



- RG-AP700-A


	802.11ac	AP	2.4G
2.4G	300Mbps	5G	433Mbps
	733Mbps		

- RG-AP700-A


- RG-AP700-A

	802.11ac		2.4G
802.11b/g/n	5G	802.11a/n/ac	

| RG-AP700-A



1		



1		
2		
3	Console	

I RG-AP700-A

-
- 802.11ac
- RG-AP700-A 5GHz Wi-Fi — 802.11ac 433Mbps
733Mbps 802.11n
-
- RG-AP700-A MIMO
RG-AP700-A 802.3af
-
- RG-AP700-A
RG-AP700-A SSID VLAN
-



RG-AP700-A

	RG-AP700-A
	Radio1() 2.4GHz 2 2×2 MIMO
	Radio2() 5GHz 1 1×1
	Radio1 802.11b/g/n 2.400GHz 2.483GHz
	Radio2 802.11a/n/ac 5.150GHz 5.350GHz 5.725GHz 5.850GHz
	Radio1 2.4GHz 300Mbps
	Radio2 5GHz 433Mbps
	2.4GHz+5GHz 733Mbps
	2.4GHz 3dBi
	5GHz 3.3dBi
	23dBm
	1dBm
	802.11b BPSK QPSK CCK
	802.11a/g/n BPSK QPSK 16-QAM 64-QAM
	802.11ac BPSK QPSK 16-QAM 64-QAM 256-QAM
	802.11b -91dBm(1Mbps) -90dBm(5Mbps) -87dBm(11Mbps)
	802.11a/g -89dBm 6Mbps -82dBm 24Mbps -78dBm 36Mbps -72dBm 54Mbps
	802.11n -85dBm@MCS0 -67dBm@MCS7 -85dBm@MCS8 -67dBm@MCS15
	802.11ac HT20 -85dBm MCS0 -57dBm MCS9
	802.11ac HT40 -82dBm MCS0 -57dBm MCS9
	802.11ac HT80 -79dBm MCS0 -53dBm MCS9
	8
	AP AP AP 3

RG-AP700-A

	RG-AP700-A
x x	180mm× 180mm× 25mm
	0.25kg
	0.023

RG-AP700-A

	RG-AP700-A
	-10°C 40°C -40°C 70°C
	3000~5000 220 1
	5%RH~95%RH 5%RH~95%RH
	IP41
	GB 4943-2011 IEC 62368-1
EMC	EN 300386 GB/T 19286-2015 GB/T 17618-2015

RG-AP700-A

RG-AP700-A	
WLAN	32 SSID SSID VLAN RIPT SSID STA/SSID/AP Fat/Fit Fit AC Fat Fat Telnet Fit
	PSK Web WEP 64/128 WPA TKIP WPA-PSK WPA2 AES WPA3 AP ACL RADIUS CPU CPP NFPP IPv4 IPv4 DHCP IPv4 Telnet TFTP Web †

I RG-AP700-A

		AP
		AP
		AP

RG-AP700-A



RG-AP700-A

AP

- /
0°C 45°C
5 95
-
- IP41
-
-




RG-AP700-A


准备工作

安装AP


确认安装位置



1 53mm 2 6.5mm



2




3

RG-AP700-A

准备工作

安装AP


确认安装完成




1

2
53mm

6.5mm



2



3

RG-AP700-A



AP AP OK



AP LED PoE PoE



Contents

wall-ap

- RG-AP700-A

RG-AP700-A

- LAN DHCP
- LAN / / VLAN
- AC

| RG-AP700-A

LAN DHCP

RG-AP700-A

LAN

| RG-AP700-A

AC

RG-AP700-A

AC

1.

AP

AC

2. AC

/ /

| RG

| FAQ

1 RG-AP700-A IP
Fit LAN UpLINK IP 192.168.110.1/24
Fat LAN IP 192.168.111.1/24;UpLINK IP 192.168.110.1/

FAQ

4 RG-AP700-A AC AC
macc1.ruijie.com.cn AC

5 AP700-A AC
():

- ✓ show ap-mode macc
- ✓ cwmp acs url
- ✓ AP
- ✓ AP ping 1500 ping

6 AP700-A
AP700-A 8

- - www.ruijie.com.cn

- - www.ruijie.com.cn/service.aspx

- - support.ruijie.com.cn

- - webchat.ruijie.com.cn

- - 4008-111-000