



copyright © 2025



<https://www.ruijie.com.cn>

<https://www.ruijie.com.cn/fw/>

7\*24h

<https://ocs.ruijie.com.cn>

7\*24h

4008-111-000

--

<https://www.ruijie.com.cn/special/fw/tool/xryf/>

4008111000@ruijie.com.cn

doc@ruijie.com.cn



APP



/



	.....	1
1	.....	1
1.1	.....	1
1.2	.....	1
1.3	.....	4
1.4	.....	5
1.4.1	.....	5
1.4.2	.....	5
1.4.3	.....	6
1.4.4	.....	6
1.4.5	.....	7
1.5	.....	7
2	.....	9
2.1	.....	9
2.1.1	.....	9
2.1.2	.....	9
2.1.3	.....	9
2.1.4	.....	10
2.2	.....	10
2.2.1	.....	10
2.2.2		

3.2	.....	0
3.3	.....	1
3.4	.....	1
3.4.1 86	.....	1
3.4.2	.....	4
3.5	.....	5
3.6	.....	5
3.6.1	.....	5
3.6.2	.....	5
3.7	.....	5
3.7.1	.....	5
3.7.2	.....	5
3.7.3	.....	5
4	.....	6
4.1		6

3.2

6.2.5	.....	9
6.2.6	.....	9
6.2.7	.....	9
7	.....	10
7.1	$\bar{A}$	

---

RG-AP180(V3)

AP

RG-AP180(V3)

802.11ax

RG-AP180(V3)

2.4Gbps

5

802.11ax

4

LAN

1

2.4G

2.975Gbps


576Mbps

(M)

75G

5G

RG-AP180(V3)



1	Console	
2-5	LAN	



---

1	WAN/PoE	IEEE802.3af 802.3at PoE



1	RG-AP180(V3)	1	
2		1	
3		1	
4	M4		





	2 PoE/PoE+	802.3af/at
	10W	



PoE

802.3af

AP

	-10°C 45°C		
	-40°C 70°C		
	3000~5000	220	1
	5%RH~95%RH		
	5%RH~95%RH		
	IEC 60950-1 IEC 62368-1 GB 4943.1		
EMC	EN301489 EN55032 EN55035		



FIT AP FAT AP

		AP	
		AP	
		AP	Link Down
	3 1	FIT AP AP AC	CAPWAP
	0.2	FIT AP MACC AP	AP

	0.2	
	3 1	AP
	0.2 0.2	FIT AP      AP                      AP

	2	
	5	



AP

---

*l*







( )

---

RG-AP180(V3)



---

AP



86

AP

JB/T 8593-2013


M4

10±1kgf cm


---

(1)

86




(2) WAN/PoE




(3) 86



(4) "Ruijie" Logo



(5)




AP

AP


---

(1)



---

(2)

	AP	LAN/PoE	AP	<a href="#">7.1</a>	
 Console		9600	8	1	AP

---

1)

---

DC PoE AP

DC PoE AP

AP AC

PC AP

PC PoE



AP      AP              AP  
AP      AP              AC

---

PoE

PoE

802.11af

DC

CAPWAP                      AC    AP              AC

(1)

(2)

(3)      AP

(4)    AP

---

1000BASE-T/100BASE-TX/10BASE-T

1000BASE-T/100BASE-TX/10BASE-T				MDI/MDIX
Crossover				
1000BASE-T	IEEE 802.3ab	100-ohm 5	5	UTP
STP	100			
1000BASE-T	4	4	1000BASE-T	

100BASE-TX/10BASE-T		10Mbps	100-ohm 3 4 5
100Mbps	100-ohm 5	100	100BASE-TX/10BASE-T





5



---



7-5



220V

-48V

7-6



10	80~150
10~30	150~200
30	200~300

---

DC 12V

1A

2.1mm	5.5mm	10mm	

$\pm 0.2\text{mm}$

±0.2

