



copyright © 2024



<https://www.ruijie.com.cn>

<https://www.ruijie.com.cn/fw/>

<https://wind.ruijie.com.cn/>

7\*24h <https://ocs.ruijie.com.cn>

7\*24h 4008-111-000


— — <https://www.ruijie.com.cn/special/fw/tool/xryf/>

[4008111000@ruijie.com.cn](mailto:4008111000@ruijie.com.cn)

[doc@ruijie.com.cn](mailto:doc@ruijie.com.cn)

APP

1.





/

---

2.



# 1

RG-CPM2150-G2 21.5  
1920 x 1080@75Hz  
100mm VESA

HDMI VGA  
VDI/IDV/TCI

HDMI  
100mm x

1-1

(1) / /

(2) /

|  |  |  |
|--|--|--|
|  |  |  |
|--|--|--|

1-4

- (1)
- (2) **HDMI**            HDMI
- (3)                    VGA
- (4)
- (5)                    Kensington

### 1.3

|  |                          |
|--|--------------------------|
|  | 87.24%                   |
|  | -3.5°±1.5°<br>21.5°±1.5° |
|  |                          |
|  | Kensington               |
|  | 2.8kg                    |
|  | 4.1kg                    |
|  |                          |
|  | <b>RG-CPM2150-G2</b>     |
|  | 1                        |
|  | 90V~240V AC 50Hz~60Hz    |
|  | 1.5A                     |
|  | C13 1.5m                 |
|  | 18W                      |
|  | <b>RG-CPM2150-G2</b>     |
|  |                          |

|                      |  |
|----------------------|--|
|                      | 1 VGA<br>1 HDMI<br>1                         |
| HDCP                 |  |
|                      |  |
| <b>RG-CPM2150-G2</b> |  |
|                      | 0°C 40°C<br>-20°C 60°C<br>3000~5000 220<br>1 |
|                      | 10%RH~85%RH<br>10%RH~90%RH                   |
|                      | 0m~5000m                                     |

# 2

## 2.1

RG-CPM2150-G2

RG-CPM2150-G2

10cm

## 2.3

RG-CPM2150-G2

RG-CPM2150-G2

# 3

## 3.1



RG-CPM2150-G2

3-4

### 3.3


(1) VGA HDMI

D-USB HDMI

VGA HDMI

(2)

(3)




### 3.4

-5° 23°

-5° 23°

3-7



4

100V~240V

# 5

SJ/T11364-2006\*

5-1

